



Concrete Sealers

Decorative Sealers | Cure & Seals | Penetrating Sealers





Table of Contents

D-ONE	1	DEACTIVATOR	9
DIAMOND SHINE	2	D-SHIELD	10
DIAMOND SHINE 30	2	D-SHIELD CLEAR	10
SUPER STAMP SEAL	3	DECOBLOCK	11
ACRYLIC COLOR PACK	3	DECOBLOCK 10	11
REJUVENATOR	3	SOLVENT RETARDER	12
REVIVAL	4	ACETONE	12
WB CONCRETE STAIN	5	XYLENE	12
CONCRETE ACID STAIN	5	STRIP OFF	12
EASY SPRAY 309	6	CITRUS DEGREASER	12
D-GUARD WB 309	6	CONCRETE CLEANER	12
D-GUARD CLEAR 25	7	CRETE BLAST	13
D-GUARD WB 25	7	DECO-PREP	13
DECOSTONE 30 -BROWNTONE	8	DECO GRIP	13
BROWNTONE TINT	8	DECO MATTE	13
GRAYTONE TINT	8	RUST REMOVER	13
RETARDER - F	8		
RETARDER -S	8		

			Decorative concrete	Broom finished	Smooth trowel	Fresh placed concrete	Exposed aggregate	Pavers / Masonry	Color enhancing	Film forming	Penetrating	Hardener / Densifier	ASTM 309	ASTM 1315	Gloss / Finish
PRODUCT	AVG. COVERAGE	VOC													
D-ONE	200-300 SQ FT PER GALLON	<350	■	■	■	■	■	■	■	■	■	■	■	■	S
DIAMOND SHINE	250-350 SQ FT PER GALLON	<350	■	■	■	■	■	■	■	■	■	■	■	■	G
DIAMOND SHINE 30	200-300 SQ FT PER GALLON	<350	■	■	■	■	■	■	■	■	■	■	■	■	G
SUPER STAMP SEAL	250-350 SQ FT PER GALLON	<400	■	■	■	■	■	■	■	■	■	■	■	■	S
COLOR BOOST WB	100-300 SQ FT PER GALLON	<100	■	■	■	■	■	■	■	■	■	■	■	■	M
COLOR BOOST SB	100-300 SQ FT PER GALLON	<400	■	■	■	■	■	■	■	■	■	■	■	■	M
EASY SPRAY 309	250-350 SQ FT PER GALLON	<350	■	■	■	■	■	■	■	■	■	■	■	■	S
DECO-CURE	200-250 SQ FT PER GALLON	<350	■	■	■	■	■	■	■	■	■	■	■	■	N/A
D-GUARD CLEAR 25	250-350 SQ FT PER GALLON	<350	■	■	■	■	■	■	■	■	■	■	■	■	G
D-GUARD WB 309	250-350 SQ FT PER GALLON	<100	■	■	■	■	■	■	■	■	■	■	■	■	S
D-GUARD WB 25	250-350 SQ FT PER GALLON	<100	■	■	■	■	■	■	■	■	■	■	■	■	S
DECOSTONE 30	200-300 SQ FT PER GALLON	<350	■	■	■	■	■	■	■	■	■	■	■	■	G
D-SHIELD	200-300 SQ FT PER GALLON	<100	■	■	■	■	■	■	■	■	■	■	■	■	M
D-SHIELD CLEAR	250-350 SQ FT PER GALLON	< 0	■	■	■	■	■	■	■	■	■	■	■	■	N/A
DECOBLOCK	100-300 SQ FT PER GALLON	<100	■	■	■	■	■	■	■	■	■	■	■	■	N/A
DECOBLOCK 10	100-300 SQ FT PER GALLON	<100	■	■	■	■	■	■	■	■	■	■	■	■	N/A
POLISHING GUARD	1500-2000 SQ FT PER GALLON	< 50	■	■	■	■	■	■	■	■	■	■	■	■	S
LITHIUM SILICATE	400-1000 SQ FT PER GALLON	< 0	■	■	■	■	■	■	■	■	■	■	■	■	N/A

*Finish: G= Gloss S= Satin M= Matte N/A= Not Applicable

www.Deco-Crete.com

110 E Main St. Dalton, OH. 44618
Phone:(330) 930-0018



DECORATIVE SEALER



D-One

- No bubbles, less callbacks, less hassle
- Easy to use & long lasting Acrylic & Penetrating Sealer all in one
- Formulated to enhance color
- Superior protection against salt damage, water intrusion, & stains
- Low VOC Formula to meet EPA AIM Regulations within most of the U.S. & Canada for concrete curing compounds
- Coverage: 200-300 square feet per gallon
- ASTM C309, Type 1, Class A&B
- AASHTO Specification M-148, Type 1 Class A&B



DECORATIVE SEALER

Diamond Shine

- High gloss, UV resistant acrylic copolymer concrete sealer intended as a cure/cure and seal for all types of concrete.
- Improved resistance to rain, sun, freezing temperatures, stains, and other pollutants that sometimes can be hazardous to concrete.
- It can be considered an ultimate multi-use concrete sealer.
- 250-350 square feet per gallon
- Available in 1, 5 & 55 gallons



Diamond Shine 30

- High gloss, UV resistant, acrylic copolymer exposed aggregate sealer
- Clear but can be tinted
- Best used to seal pea gravel exposed aggregate
- 200-300 square feet per gallon
- Available in 1, 5 & 55 gallons





DECORATIVE SEALER

Super Stamp Seal

- A medium gloss, non-yellowing, pure acrylic concrete lacquer style sealer designed for decorative concrete.
- Improved resistance to rain, the sun, freezing temperatures, stains, and other pollutants that sometimes can be hazardous to concrete.
- Coverage: 250 - 350 square feet per gallon
- Available in 1, 5 & 55 gallons



Acrylic Color Pack

- A high solids, concentrated, solvent based acrylic tint system specially formulated for solvent based acrylic sealers like Super Stamp Seal & Diamond Shine.
- A semi-transparent stain or a solid opaque colored finish. Decorative way to seal a variety of concrete substrates.
- Recommended for use on unsealed or untreated warehouse floors, garages, basements, docks, driveways, sidewalks and any other concrete surfaces
- 32 oz. container



Rejuvenator

- Revitalizes existing sealer without adding more acrylic
- Fixes sealers affected by unexpected issues
- Easy to spray & Slow Drying
- Bring the shine & color back!
- Works with your sealer, not against it
- Available in 1, 5 & 55 gallons





COLOR RESTORATION

Revival

- 20 Standard Colors matching Deco-Crete's Color Hardener & Integral Color Systems
- Completely covers discolorations, stains, or other blemishes
- Great for restoration work, on old or new concrete
- MADE IN THE U.S.A

Deco-Crete Revival is an opaque color coating that can be used to give a whole new look to any unsealed existing concrete surfaces. It will completely cover discolorations, stains, or any other blemishes that may be present. Revival may be used on interior or exterior, stamped, broomed, or swirl finished concrete along with other cementitious surfaces. It is formulated to match Deco-Crete's most popular Color Hardener & Integral Color Systems as well as a natural color similar to cured concrete





CONCRETE STAIN



Deco-Crete WB Concrete Stain

A translucent stain that allows you to create beautiful natural looking colors that will enhance the appearance of porous concrete slabs, concrete overlays, and vertical concrete.

- No acrylic additive allows for maximum penetration & long life
- 22 Colors available
- Translucent water-based concrete stain



Concrete Acid Stain

- Penetrating Reactive Stain
- Long-Lasting Effects
- Dilute with Water
- 11 colors available
- Interior or Exterior Application
- MADE IN THE USA





CURING



EasySpray 309

- VOC compliant, UV resistant, low viscosity 15% solids solvent based acrylic copolymer curing compound
- Can be used as a means of dustproofing most concrete surfaces
- Forms a moisture retentive film on freshly placed concrete
- Meets ASTM C 309 specs
- Coverage: 250 - 350 square feet per gallon
- Available in 5 & 55 gallons



D-Guard WB 309

- A non-yellowing, water-based product designed for curing applications.
- A penetrating and breathable coating that provides a satin or low gloss finish to a multitude of interior & exterior horizontal or vertical concrete and masonry finishes.
- Self-cross linking, which provides better film formation, early water resistance, adhesion, toughness and outstanding efflorescence and alkali resistance.
- Available in 5 & 55 gallons





CURE & SEALS



D-Guard Clear 25

- A VOC compliant, low viscosity 25% solids solvent based acrylic copolymer curing and sealing compound, as well as a dust-proofer for concrete surfaces.
- Offers improved resistance to rain, sun, freezing temperatures, stains, and other pollutants that sometimes can be hazardous to concrete.
- Forms a superior moisture retentive film on freshly placed concrete.
- When spraying D-Guard Clear 25 use a Chapin Xtreme Sprayer (19049, 19069, 19249 or 22049)
- Available in 5 & 55 gallons

D-Guard WB 25

- Low VOC, low odor, non-yellowing, water-based product designed for curing and sealing applications
- Perfect for low ventilated areas where low VOC's and low odor are required
- Non-yellowing formula assures product's superior resistance to the elements
- Medium viscosity formula allows for easy application through sprayers
- Superior efflorescence and alkali resistance compared to common solvent based acrylic sealers
- Recommended for interior & exterior freshly placed, finished and aged concrete where a medium gloss water based curing and sealing compound is specified
- Coverage: 250 - 350 square feet per gallon (New, Unsealed Concrete) & 350 - 400 square feet per gallon (Old, Sealed Concrete)
- Available in 5 & 55 gallons





EXPOSED AGGREGATE

DecoStone 30 - Browntone

- Solvent-based, brown tinted acrylic exposed aggregate sealer
- High gloss
- 350 VOC
- Designed for application to pea gravel exposed aggregate
- 200-300 square feet per gallon
- Available in 5 & 55 gallons



Browntone tint - Graytone tint

- 1 pack per pail
- For Diamond shine & Diamond shine 30
- Browntone makes a translucent tinted sealer to accent the color of exposed pea gravel
- Graytone makes a translucent tinted sealer to accent the color of exposed Limestone
- 4 oz. bottle

Retarder S

- A water soluble liquid specially formulated to retard the surface mortar of fresh concrete to expose aggregates in freshly placed concrete surfaces.
- Green in color to allow for easy identification of applied areas and to ensure appropriate uniform coverage.
- Should be used to achieve architectural color, texture, and appearance without mechanical means such as sandblasting.
- Available in 1, 5 & 55 gallons



Retarder F

- A green water soluble gel that when applied on the surface of vertical freshly poured concrete retards the surface mortar to expose the aggregate.
- This leaves an architectural finish by exposing the color and texture of the natural aggregate.
- Coverage: 150 sq. ft. @ 1/8" per gallon
- Available in 1, 5 & 55 gallons



EXPOSED AGGREGATE

Deactivator

- Makes exposed aggregate finishes easier and more consistent
- It is typically applied to freshly-placed concrete to prevent cement paste hardening and achieve more controlled exposed aggregate finishes
- Unlike sugar-based retarders with uncertain levels of retardation, Deactivator selectively halts the hydration process down to a controlled depth
- 6 predetermined depths of exposure are available, color-coded for identification, to provide consistent, repeatable cement paste removal and aggregate reveal
- Deactivator provides a longer window before the surface paste must be removed, it allows underlying concrete to harden properly, locking in aggregate and reducing pop-outs
- Water-soluble for easy removal with high pressure water washing and scrubbing equipment
- Coverage: 150 square feet per gallon

White - Micro Etch


Violet - Acid Etch - .2mm

Light Blue - Light Sandblast - 1/64" or .5mm

Beige - Heavy Sandblast - 1/16" or 2mm

Blue - Exposure - 7/64" or 3mm

Pink - Exposure - 3/16" or 5mm





PENETRATING SEALER



D-Shield

- Dual functioning chemical reactive curing compound and water repellent with a low viscosity for better penetration on concrete substrates
- Will not change the color of the concrete
- Minimizes damage due to water and salt water from de-icing road salts on freshly poured or existing unsealed concrete
- Meets cure & seal specs ASTM C-309, Type 1, Class A & B and AASHTO Spec M-148, Type 1, Class A & B
- Coverage: 200 - 300 square feet per gallon
- Available in 1, 5 & 55 gallons



D-Shield Clear

- Water-based penetrating sealer & water repellent
- A reactive, penetrating catalyzed silicate solution that fuses within porous substrates of concrete, brick, stone, and mortar to combat freeze/thaw damage, scaling and spalling, and limit penetration of stains and damaging impurities such as oil, gas, grease, and salt
- Reduces water absorption into the substrate, thus reducing spalling due to freeze/thaw and efflorescence, thereby increasing the life of the substrate
- Minimizes damage due to water and salt water from de-icing road salts and salt water pool systems
- Excellent penetration and adhesion to clean, unsealed new concrete
- Will not change the color of the concrete
- Recommended for interior & exterior, concrete pool decks, concrete parking lots, sidewalks, patios and stoops, smooth troweled concrete, broom finish concrete, most other new concrete surfaces where water and salt damaged resistance is required
- Coverage: 250 - 350 square feet per gallon
- Available in 5 & 55 gallons





PENETRATING SEALER



DecoBlock

- A 7.5% active water-based siloxane/silane water repellent and impregnating agent for porous masonry surfaces such as concrete, block, brick and unglazed tile
- Excellent resistance to mold, mildew and fungus
- Excellent Water Repellency
- Provides Natural Look
- Available in 5 & 55 gallons
- Coverage: 100 - 300 square feet per gallon

DecoBlock is an active water-based siloxane/silane water repellent and impregnating agent for porous masonry surfaces such as concrete, block, brick, and unglazed tile. DecoBlock will penetrate and chemically bond deep within the substrate to provide long lasting protection against deterioration or staining due to water conditions. DecoBlock will not impair the natural breathing characteristics of treated substrates, nor will it produce a film. DecoBlock will help concrete and masonry surfaces to resist common issues such as cracking, efflorescence, spalling, staining, and other damages caused by intrusion of water.

DecoBlock 10

- A 10% active water-based siloxane/silane water repellent and impregnating agent for porous masonry surfaces such as concrete, block, brick and unglazed tile
- Excellent resistance to mold, mildew and fungus
- Excellent Water Repellency
- Provides Natural Look
- Available in 5 & 55 gallons
- Coverage: 100 - 300 square feet per gallon





SOLVENTS & CLEANERS

Raw Solvents are used in various aspects of industry. Solvent Retarder, Xylene, and Acetone are used in the paint and coatings manufacturing process. These solvents can be used for many various reasons such as paint and coating clean-up for tools & accessories and coating re-emulsification for the purpose of fixing faulty applications/conditions, etc.



Solvent Retarder

- Use *Solvent Retarder* for clean up and fixing many issues common with solvent based sealers
- Slower Drying
- 1, 5, & 55 gallons
- Coverage: Varies



Acetone

- Use *Acetone* for mixing with *Armour Dye & Polishing Dye™* and for clean-up
- Available in 1, 5 & 55 gallons
- Coverage: Varies



Xylene

- Use *Xylene* for clean-up and fixing many issues common with solvent based sealers
- 1, 5, & 55 gallons
- Coverage: Varies



Strip-Off

- Roll on biodegradable paint remover
- Removes durable industrial coatings like urethanes & epoxies
- User Friendly and Non-flammable
- Environmentally friendly, does not deplete the ozone
- Zero VOC product, No carcinogens
- Available in 1, 5 & 55 gallons



Citrus Degreaser

- Concentrated hard working formula
- Dilute up to 1:10 with clean water
- Citrus Based Concrete Degreaser
- Biodegradable Formulation
- Quickly Dissolves most kinds of Grease & Motor Oil
- Coverage: Varies



Concrete Cleaner

- No harsh odors
- Safe for use with scrubbing machines
- Excellent cleaner for daily mopping of sealed or coated surfaces
- VOC compliant for all areas in the U.S. & Canada
- Coverage: Varies



EXTRAS & ADDITIVES



Rust Remover

- Concentrated solution can be diluted up to 1:3 with water
- Safer solution that releases less fumes than similar products
- Removes most rust stains on concrete, pavers, masonry brick & block
- Coverage: 100 - 200 square feet per gallon
- Size: 1 gallon Jug



Crete Blast

- Organic, Biodegradable concrete debonding agent and remover
- Non-flammable, non-combustible, non-corrosive, not hazardous
- Perfect for concrete debonding and removal on trucks, mixers, tools, saws, finishing machines
- Coverage: Varies
- Size: 1 gallon Jug



Deco-Prep

- Acid based micro etching solution designed for profiling of unsealed trowel concrete surfaces
- Slightly opens the pores to allow better acid staining color development and reaction
- Safe replacement to muriatic acid
- Coverage: 150 - 250 square feet per gallon
- Size: 1 gallon Jug

Deco Matte



- Matting agent for solvent based acrylic sealer
- For a satin finish, mix one pint container into a 5 gallon pail of solvent based acrylic sealer
- For a matte finish, mix two pint containers into a 5 gallon pail of solvent based acrylic sealer
- Size: 1 pint

Deco Grip



- Finely ground polymer material for addition to concrete sealers for slip resistance and fine texturing
- Good Chemical & Abrasion Resistance
- Can be added to most film forming coatings
- 16 oz to be mixed into 5 gallons of concrete sealer
- Available in 40, 60 & 100 grit